## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1-16. (Canceled)

17. (Currently amended) A computer system comprising:

a computer having a processor and a graphic-controller;

a display connected to the computer;

a terminal to which another device can be connected;

a controller which is connected to the terminal, the computer, and the display and which supplies an output from the graphic-controller to the display in a first mode and an output from the other device to the display in a second mode; and

a power supply which supplies power to the computer and to the display in the first mode and power to the display in the second mode.

wherein one of the first mode and the second mode is selected in accordance with detection of connection of the other device, and the second mode is set when the other device is connected to the terminal.

18. (Cancelled)

19. (Currently amended) The computer system according to claim 17, further comprising:

a detector which detects [[a]] the connection of the other device to the terminal; and

a mode setter which sets the second mode upon detection of the connection of the other device to the terminal.

20. (Currently amended) A method of operating a computer system comprising a computer having a processor and a graphic-controller and a display connected to the computer, the method comprising:

selecting one of a first and a second mode in accordance with a detection of a connection of another device, wherein the computer and the display are operated in the first mode and the display is operated in the second mode; [[and]]

supplying an output from the graphic-controller to the display in the first mode and an output from the another other device to the display in the second mode;

supplying power to the computer and to the display in the first mode and power to the display in the second mode; and

setting the second mode upon the detection of the connection of the other device to the computer system.

- 21. (Cancelled)
- 22. (Currently amended) The method according to claim 20, further comprising:

  wherein the supplying power includes supplying power to the computer and to the display, in the first mode upon a power-on of the computer.
- 23. (Cancelled)
- 24. (Currently amended) A computer system comprising:
  - a computer having a processor and a graphic-controller;
  - a display connected to the computer;
  - a terminal to which another device can be connected;
- a controller which is connected to the terminal, the computer, and the display[[,]]; and

a power supply which supplies power to the computer and to the display in the first mode and power to the display in the second mode.

wherein the controller receives a signal from the graphic-controller and supplies the received signal to the display in a first mode, and receives a signal from the another other device and supplies the received signal to the display in a second mode, and

one of the first mode and the second mode is selected in accordance with a detection of a connection of the other device, and the second mode is set when the other device is connected to the terminal.

- 25. (Cancelled)
- 26. (Previously presented) The system according to claim 24, further comprising:
  a detector which detects a connection of the other device to the terminal and a
  mode setter which sets the second mode upon the detection of the connection of the
  other device to the terminal.
- 27. (New) The computer system according to claim 17, wherein the first mode is switched to the second mode upon connection of the other device to the terminal.
- 28. (New) The computer system according to claim 24, wherein the first mode is switched to the second mode upon connection of the other device to the terminal.